

Work Order ID 147561

Wednesday, June 08, 2016 2:26:16 PM

147561

Page 2

Item ID: D2743

Accept

N900040100

Setup Start

NS1

Revision ID:

Item Name: Crossbolt Spacer

Stop

NS2

Start Date: 6/3/2016 Start Qty: 60.00

60

Cust. Item ID:

WAS 100 6061-T6 AL Tube .625 X .065 W

Work Order ID 147561

Wednesday, June 08, 2016 2:26:16 PM

147561

Page 1

Item ID: D2743

Accept

N900040100

Setup Start

NS1

Revision ID:

Item Name: Crossbolt Spacer

Stop

NS2

Start Date: 6/3/2016 Start Qty: 60.00

60

Cust Item ID:

Required Date: 6/8/2016 Req'd Qty: 60.00

60

Customer:

Reference:

Approvals: Process Plan: *MCS* Date: *JUN 13 2016*

Tooling:

Date:

Run Start

NR1

QC:

Date:

SPC (Y/N):

Date:

Stop

NR2

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr

Revision Nbr

D2743

Rev B

100

0.05

100

Hardinge CNC LATHE SMALL

Hardinge

Memo

0.20

Hardinge CNC Lathe Small

1-TURN AS PER FOLIO FA202 & DWG D2743

FOLIO REV: *AA*

DWG REV: *P*

2-DEBURR AS REQUIRED

110

QC2- Inspect parts off machine FAI/FAIB

0.00

110

QC

Memo

0.10

Quality Control

15R *Ø* *DAS 49 9-89 16/06/15*

15R *Ø* *DAS 49 9-89 16/06/16*

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Cross tube ☐ Water Jet ☐ Engineering ☐ Machining ☐ Small Fab ☐ Prod. Eng. Coord. ☐ Quality ☐ Thermoforming ☐ Finishing ☐ Rec/Store/Packaging ☐ Other ☐ Large Fab ☐ Composite ☐ Supplier ☐							
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval				
Description Work Order Deviation				Disposition				Completed By			
								Lead hand / Supervisor Approval Verification			
								QC / QA Coordinator Approval			
Root Cause				FAULT CATEGORY							
Environment ☐ No Re-verification ☐ Design ☐ Operator ☐ Doc/Data ☐ Offset/Setup ☐ Equip/Tooling ☐ Supplier ☐ Handling/Pre ☐ Training ☐ Material ☐ Use for Testing ☐ Internal Transport ☐ Poor Information ☐ Tribal Knowledge ☐ Rushing ☐ LOA ☐ Product Improvement ☐ Substation ☐ Process Improvement ☐ Past Expiry Date ☐ Manufacturing Process ☐ Misidentified ☐ Past Due ☐				Pressure/Forced ☐ Temperature/Cure ☐ Bending ☐ Set-up ☐ Centre Not Concentric ☐ BOM/Route ☐ Cracks ☐ Broken/Damage/Defect ☐ Crimp/Kink/Ripple/Wave ☐ Inspection Incomplete/Unqualified ☐ Cuffs ☐ Contamination ☐ Crushing ☐ Countersink ☐ Heat Treat ☐ Cut Too Short ☐ Wave/Twist in Tube ☐ Instructions Incomplete/Unclear ☐ Marks/Chatter ☐ Drill Holes ☐				Power Loss/Surge ☐ Positioned Wrong ☐ Folio/Program ☐ Outside Dimensions ☐ Grain ☐ Over/Under tolerance ☐ Weld ☐ Part Incorrect ☐ Wrong Stock Pulled ☐ Part Lost/Missing ☐ Out of Sequence ☐ Part Moved ☐ Off-set ☐ Drawing ☐ Mislabeled ☐ Finish ☐ Fit/Function ☐ Misread ☐ Misaligned/off center ☐ Turning Sequence ☐			
OTHER : _____											

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev I

Material ☐		Use for Testing ☐		Cuffs ☐		Contamination ☐		Out of Sequence ☐		Part Moved ☐	
Internal Transport ☐		Poor Information ☐		Crushing ☐		Countersink ☐		Off-set ☐		Drawing ☐	
Tribal Knowledge ☐		Rushing ☐		Heat Treat ☐		Cut Too Short ☐		Mislabeled ☐		Finish ☐	
LOA ☐		Product Improvement ☐		Wave/Twist in Tube ☐		Instructions Incomplete/Unclear ☐		Fit/Function ☐		Misread ☐	
Substation ☐		Process Improvement ☐		Marks/Chatter ☐		Drill Holes ☐		Misaligned/off center ☐		Turning Sequence ☐	
Past Expiry Date ☐		Manufacturing Process ☐									
Misidentified ☐		Past Due ☐		OTHER : _____							

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev I

Work Order ID 147561

Wednesday, June 08, 2016 2:26:16 PM

147561

Page 3

Item ID: D2743

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Crossbolt Spacer

Start Date: 6/3/2016 Start Qty: 60.00

60

Cust Item ID:

Required Date: 6/8/2016 Req'd Qty: 60.00

60

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
170	QC21- Final Inspection - Work Order Release	0.00							
170									
QC	Memo	1.00							
Quality Control									

DAS
21
9-89

JUL 08 2016

DAS
21
9-89

JUL 08 2016

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QS1042) Approval 		
Description Work Order Deviation				Disposition					
				Completed By _____					
				Lead hand / Supervisor Approval Verification _____					
				QC / QA Coordinator Approval _____					
Root Cause		FAULT CATEGORY							
Environment ☐	☐ No Re-verification	☐ Pressure/Forced	☐ Temperature/Cure	☐ Power Loss/Surge	☐ Positioned Wrong				
Design ☐	☐ Operator	☐ Bending	☐ Set-up	☐ Folio/Program	☐ Outside Dimensions				
Doc/Data ☐	☐ Offset/Setup	☐ Centre Not Concentric	☐ BOM/Route	☐ Grain	☐ Over/Under tolerance				
Equip/Tooling ☐	☐ Supplier	☐ Cracks	☐ Broken/Damage/Defect	☐ Weld	☐ Part Incorrect				
Handling/Pre ☐	☐ Training	☐ Crimp/Kink/Ripple/Wave	☐ Inspection Incomplete/Unqualified	☐ Wrong Stock Pulled	☐ Part Lost/Missing				
Material ☐	☐ Use for Testing	☐ Cuffs	☐ Contamination	☐ Out of Sequence	☐ Part Moved				
Internal Transport ☐	☐ Poor Information	☐ Crushing	☐ Countersink	☐ Off-set	☐ Drawing				
Tribal Knowledge ☐	☐ Rushing	☐ Heat Treat	☐ Cut Too Short	☐ Mislabeled	☐ Finish				
LOA ☐	☐ Product Improvement	☐ Wave/Twist in Tube	☐ Instructions Incomplete/Unclear	☐ Fit/Function	☐ Misread				
Substation ☐	☐ Process Improvement	☐ Marks/Chatter	☐ Drill Holes	☐ Misaligned/off center	☐ Turning Sequence				
Past Expiry Date ☐	☐ Manufacturing Process	OTHER : _____							
Misidentified ☐	☐ Past Due								

Picklist Print

Wednesday, June 08, 2016 2:26:15 PM

Page 1

Work Order ID: 147561

147561

Parent Item: D2743

D2743

Parent Item Name: Crossbolt Spacer

Start Date: 6/3/2016

Required Date: 6/8/2016

Start Qty: 60.00

Required Qty: 60.00

Comments: IPP E05.04.13Reformat; removed tumble and deburr stepKJ/JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M6061T6T0.625W.065		Purchased		No		100	f	54.0000	0.2667	16.84421			

M6061T6T0 625W 065

6061-T6 RD Tube .625 x.065W

Location

Loc Qty

Loc Code

MAT013

54

m134138

54

_____ *mmh 16/06/15*

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____


Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QS1042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause				FAULT CATEGORY					
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐								
Misidentified ☐	Past Due ☐	OTHER : _____							



DESIGN <i>[Signature]</i>	DRAWN BY <i>CP</i>	DART AEROSPACE USA, INC. BELLEVUE, WA	
CHECKED <i>[Signature]</i>	APPROVED <i>KE</i>	DRAWING NO. D2743	REV. B SHEET 1 OF 1
DATE 98.12.08		TITLE CROSS BOLT SPACER	SCALE 1:1
A	98.04.16	NEW ISSUE	
B	98.12.08	3.085 WAS 3.060	

RELEASED
98.12.16 DS



MATERIAL: 6061-T6 (WW-T-700/6) 0.625 DIA. X 0.065 WALL
TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED